ADVENTYS

Made In France

Induction Technology



The Company: Adventys.

ADVENTYS, based in Burgundy, France, manufactures and markets kitchen equipment with induction technology for hotels, restaurants, and catering businesses. Our expertise, research and developement team, and our integrated process define ADVENTYS and its objectives to give our customers the best induction solution. Thanks to our integrated manufacturing process, we are able to create custom-made products and answer your requests: specific dimensions, look & design, and power.







Induction:

The Induction Technology is safe and offers more advantages than any other technology. Save energy, time and money, while enjoying more flexibility and precision. Induction is over 95% efficient: boil 3 liters of water in 3 minutes, and 5 liters in 6 minutes with our 6kw three phase generator.

Innovation:

Adventys' research and developpement team always works to develop new products and patents. With award winning products & best selling features, we are always working closely with chefs to offer them the best solution.

International:

Adventys is always expanding its limits. Now available in Europe, Middle East, Asia, Australia, & South America through Brazil. The company obtained UL & NSF approvals in 2015 to develop its business in North America.

Integration:

Adventys designs, creates, and manufacture all products on site, in Burgundy. With our electronic shop, our metal shop, our R&D department, and our assembly lines, the production is entirely made by us. Our products are 100% Made in France.

AB certification ISO 9001 : 2008

FABRIQUÉ EN FRANCE

TÜVRheinland®

C ETL US Intertek UL197 CSA 22.2

GS geprüfte Sicherheit

MATERIAUX INOX

CE

ETL SANITATION LISTED Intertek NSF-4

Table of Content:

Induc'Art	P 5
Counter top	P 7 / P 15
Buffet	P 12
Drop In	P 19
Modular Heavy Duty	P 24
Plancha	P 27
Kit	P 28
Custom-Made & Limited Edition	P 32
Testimony & Contacts	P 34



Jean-Luc PEROT - CEO

Find all our documentation on our website: www.adventys.com and 3D information on Masterchef.



Innovation :
Award Winning Induc'Art by Adventys



Design C+B
Patent n°1460909

HOST 2015 SMART LABEL

host SALONE INTERNAZIONALE DELL'OSPITALITA' PROFESSIONALE

Induc'Art Concept:
- **Select a temperature level - each plate can have it's own temperature level.**
- **Place the plate on the designated area, and reach temperature in seconds.**
- **The temperature remains through out the plating process**

Induc'Art is a table created to revolutionize the process of plating. This patent technology is targeting very fine dining restaurants, Michelin stars owners, and high end hotels. Simply place a specific plate on the table and it will reach the desired temperature in less than 15 seconds. The temperature remains as long as needed. Check it out on our website: www.adventys.com for more details.

Induc'art est la table qui révolutionne l'activité de dressage. Cette technologie brevetée a pour objectif d'améliorer le dressage dans les grands restaurants et hôtel haut de gamme afin d'optimiser les conditions de travail et le service client. Il suffit de placer une assiette équipée sur la table pour qu'elle chauffe en quelques secondes. La température est maintenue tout le long du dressage. Pour plus de détails, visitez notre site internet.

Induc'Art ist eine Warmhalteplatte, die erschaffen wurde, um die Tätigkeit des Plattierens zu revolutionieren. Die Zielgruppe dieses Produkts sind erstklassige Restaurants, Inhaber von Michelin-Sternen, und Luxushotels. Man stellt einfach einen kompatiblen Teller auf die Oberfläche, nachdem man die gewünschte Temperatur ausgewählt hat. Der Teller wird innerhalb von Sekunden die Temperatur erreichen und sie auch während des gesamten Plattierungsprozesses, der normalerweise zwischen 3 bis 8 Minuten dauert, beibehalten.
Besuchen Sie: www.adventys.com .

Induc'Art è un tavolo creato per rivoluzionare l'attività dell'impiattamento. Questo prodotto si rivolge a ristoranti particolarmente raffinati, chef stellati Michelin e hotel di alto livello. Basta sistemare un piatto compatibile sulla superficie, dopo aver selezionato la temperatura desiderata. Il piatto raggiungerà la temperatura in pochi secondi e la manterrà per tutto la fase dell'impiattamento, che di solito richiede da 3 a 8 minuti. Venite a conoscerci: www.adventys.com .

طاولة إندك آرت هو إختراع ثوري في عالم تسخين الأطباق، هذا الاختراع يستهدف المطاعم والفنادق الفاخرة الحاصلة على ميشلن ستار.
ببساطة ضع الصحن المختار على طاولة إندك آرت وستحصل على الحرارة المطلوبة في أقل من 15 ثانية، تبقى درجة الحرارة ثابتة لحين رفع الطبق عن الطاولة.
لمزيد من المعلومات يمكنكم زيارة موقعنا الالكتروني : www.adventys.com



« The Adventys GL 1500 Pastry is a vital part of equipment in the Puratos innovation centre - small, compact, portable and easy to use! It is very quick to boil water but can be precise enough to melt chocolate without a bain-marie, which really surprised me. I can't speak highly enough of the ***GL 1500 Pastry*** *and the huge impact it has made in the Puratos innovation centre and on a personal level in the way I work. »*

Corey King, Technical Advisor, Puratos
Australia - New Zealand
Sydney, New South Wales

Official distributor Phoeniks

Geoline Range: Plug & Play

The Perfect Snacking Line

The GeoLine Range includes 2 sizes of single zone cooktops, 2 sizes of two zones cooktops, a Wok and a brand new Plancha.

Plug and Play !



GL 1500 Pastry 230V / GL 1800 US 120V.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) and timer control with 2 digits display (works for both timer and power).

•Power supply:
230V - AC 50/60 Hz
120V - AC 50/60 Hz

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including a 1m40 (4 ft 7 inches) power cord.

•Réf : GL 1800 US 120 V : EMP0434
GL 1500 Pastry 230V : ADV0248



GL 3000 / GL 3500.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) and timer control with 2 digits display (works for both timer and power).

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.


•Details and options: including a 1m40 (4 ft 7 inches) power cord.

•Réf : GL 3000 : ADV1066
GL 3500 : ADV1067




Drop In version page 30

GL 1500



GL 3000 / GL 3500



Intertek UL 197 Intertek NSF-2

ADVENTYS

Made In France

millimeters
inches

Geoline Range: Plug & Play



GL2 3000 / GL2 3500.

•Dual cooking concept.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, right-left zone, 2 manual power setting (+/-) with 2 digits display, keep warm setting for buffet use.

•Power supply: 230V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m40 (4 ft 7 inches) power cord and a washable filter.

•Réf : GL2 3000 : EMP0323
GL2 3500 : ADV1294



More buffet solution page: 12 & 33



GLW 3000 / GLW 3500

•Stainless steel casing with wok bowl vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) and timer control with 2 digits display (works for both timer and power).

•Power supply: 230V - AC 50/60 Hz.


•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including a 1m40 (4 ft 7 inches) power cord and a washable filter.


Wok pan included with unit.

•Réf : GLW 3000 : EMP0433
GLW 3500 : ADV1448

GL2 3000 / GL2 3500



GLW 3000 / GLW 3500



ADVENTYS

Made in France

millimeters
inches

Geoline Range: 2016 innovations

NEW



GL2 6000.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, right-left zone, manual power setting (+/-) with 2 digits display (works for both timer and power).

•Power supply: 2 power cords of 230V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including 2 x 1m40 (4 ft 7 inches) power cord and a washable filter.

•Réf : GL2 6000 : ADV1551



GLP 3000 / GLP 6000 / GLP 8000.

•Stainless steel casing with a grill surface in a multi layer composite material.

•Capacitive touches control panel - On/Off, manual temperature setting (+/-) with 4 digits display.

•Power supply:
GLP 3000 : 230V - AC 50/60 Hz.
GLP 6000 : 2 power cords of 230V - AC 50/60 Hz.
GLP 8000 : 400V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.


•Details and options: including a 1m80 (5 ft 9 inches) power cord and a washable filter.

•Réf : GLP 3000 : EMP0435
GLP 6000 : ADV1557
GLP 8000 : ADV1556

GL2 6000



GLP 3600 / GLP2 6000/ GLP2 8000



Actual product not as shown.

ADVENTYS

Made in France

millimeters
inches

Nomad Line: Light & Easy



ARIC 2200.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-).

•Power supply: 230V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m40 (4 ft 7 inches) power cord.

•Réf : ARIC 2200 : EMP0436



NRIC 2800.

•Stainless steel casing with vitroceramic glass;


•Capacitive touches control panel - On/Off, manual power setting (+/-), timer control with 2 digits display, presets for power levels: 6 - 10 - 12.


•Power supply: 230V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m40 (4 ft 7 inches) power cord.

•Réf : NRIC 2800 : EMP0357





millimeters
inches

Made In France



Buffet by Adventys

The New Buffet line by Adventys!

Available in drop in , flush, or Under Counter.

5 new models !



Drop in with stainless steel frame.

Flush with hidden solid stainless steel casing.

Under Counter

NEW

Buffet by Adventys

•Standard Power : 650 Watts.

•Power available: anything from 400 up to 2200 watts.*

•Under Counter unit is only available in 650 watts for a recommended installation of 2cm thickness of Granite - other stone possible: please check with Adventys before installation.

•Power supply:
230V - AC 50/60 Hz
120V - AC 50/60 Hz

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL standards**.

•For show cooking, please refer to products page 31.

**available at added cost.*

ADVENTYS

Made in France



Z1IC 650 INT : Flush with controls on vitro ceramic top.

Ref: ADV1494



Z1IC 650 D INT : Flush with remote controls.

Ref: ADV1552



Z1IC 650 ENC : Drop In with controls on vitro ceramic top.


Ref: ADV1554



Z1IC 650 D ENC : Drop In with remote controls.

Ref: ADV1553

Version sous plan de travail sans vitro et commandes déportées : ADV1555



Z1IC 650 UC : Under Counter with remote controls.

Ref: ADV1555


ADVENTYS
Induction

Bioline Range: Grande Induction 2016 Innovations

NEW



Intertek UL 197 Intertek NSF-2

BRIC 3000 & BRIC 3600.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off
Power level or Watt level
Temperature setting in C° or F° (+/-) with 4 digits display.
2 presets and timer control with 2 digits display.

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including 1m60 (5 ft 3 inches) power cord and a washable filter.



Réf : BRIC 3000 : ADV1476
BRIC 3600 : ADV1475

Drop in version page: 19



B2RIC 3000 & BRIC 3600

•2 small zones or one large zone.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display for each zone.


•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.


•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter.

Réf : B2RIC 3000 : EMP0114
B2RIC 3600 : ADV0923

BRIC 3000 / BRIC 3600



B2RIC 3000 / B2RIC 3600



millimeters
inches

Bioline Range: Grande Induction



BWIC 3000 / BWIC 3600.

•Stainless steel casing with wok bowl vitroceramic glass.

•Capacitive touches control panel - On/Off, power level setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display.

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter.

Wok pan included with unit.

•Réf : BWIC 3000 : EMP0152
BWIC 3600 : ADV1185



BGIC 3000 / BGIC 3600.

•Stainless steel casing with a grill surface in a multi layer composite material.

•Capacitive touches control panel - On/Off, manual temperature setting (+/-) with 4 digits display & 3 presets.


•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.


•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter. Spatula available upon request.

•Réf : BGIC 3000 : EMP0253
BGIC 3600 : ADV1360

BWIC 3000 / BWIC 3600



BGIC 3000 / BGIC 3600



millimeters
inches

Bioline Range: Three Phase



BTIC 4000 / BTIC 6000.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m80 (5 ft 11 inches) power cord and a washable filter.

•Réf : BTIC 4000 : ADV1378
BTIC 6000 : ADV 1129



BTWIC 4000 / BTWIC 6000.

•Stainless steel casing with wok vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.


•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m80 (5 ft 11 inches) power cord and a washable filter.


Wok pan included with the unit.

•Réf : BTWIC 4000 : ADV1482
BTWIC 6000 : ADV1483

BTIC 4000 / BTIC 6000



BTWIC 4000 / BTWIC 6000



millimeters
inches


Made in France

Exclusive Range: Drop In



DRIC 3000 / DRIC 3600.

•Stainless steel casing with chamfered edges & vitroceramic glass.

•Capacitive touches control panel - On/Off
Power level or Watt level
Temperature setting in C° or F° (+/-) with 4 digits display.
2 presets and timer control with 2 digits display.

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including 1m60 (5 ft 3 inches) power cord and a washable filter.

Réf : DRIC 3000 : ADV1478
DRIC 3600 : ADV1471



D1IC 3000 & D1IC 3600 / D1IM 3000 & D1IM 3600

•Stainless steel casing with chamfered edges & vitroceramic glass.

•Capacitive touches control panel - On/Off
Power level or Watt level
Temperature setting in C° or F° (+/-) with 4 digits display.
2 presets and timer control with 2 digits display.

Knobs control - 360° knob with led light


•Power supply: 230V- AC 50/60 Hz

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.


•Details and options: including 1m60 (5 ft 3 inches) power cord and a washable filter.

•Réf : Capacitive touches:
D1IC 3000 : EMP0420 + EMP0438
D1IC 3600 : ADV1533
Knob:
D1IM 3000 : EMP0420 + EMP0437
D1IM 3600 : ADV1538

DRIC 3000 / DRIC 3600



D1IC 3000 & D1IC 3600 / D1IM 3000 & D1IM 3600



Intertek UL 197 Intertek NSF-2

ADVENTYS

Made In France

millimeters
inches

Exclusive Range: Drop In



D2RIC 3000 / D2RIC 36000.

•Stainless steel casing with chamfered edges and vitroceramic glass.

•2 small zones or one large zone.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display for each zone.

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter.

•Réf : D2RIC 3000 : EMP0345
D2RIC 3600 : ADV1279



D2IC 6000 / D2IM 6000

•Stainless steel casing with chamfered edges and vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display for each zone.

Knobs control - two 360° knobs with led light.


•Power supply: 230V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.


•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter.

•Réf : D2IC 6000 : ADV1527
D2IM 6000 : ADV1537

D2RIC 3000 / D2RIC 36000



D2IC 6000 / D2IM 6000



millimeters
inches

Exclusive Range: Drop In



DWIC 3000 / DWIC 36000.

•Stainless steel casing with chamfered edges & with wok bowl vitroceramic glass.

•Capacitive touches control panel - On/Off, power level setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display.

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek **NSF & UL** standards.

•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter.

Wok pan available upon request.

•Réf : DWIC 3000 : EMP0160
DWIC 3600 : ADV1189



DGIC 3000 / DGIC 3600.

•Stainless steel casing with chamfered edges and a grill surface in a multi layer composite.

•Capacitive touches control panel - On/Off, manual temperature setting (+/-) with 4 digits display & 3 presets.


•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.


•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter. Spatula available upon request.

•Réf : DGIC 3000 : EMP0291
DGIC 3600 : ADV1349

DWIC 3000 / DWIC 3600



DGIC 3000 / DGIC 3600



millimeters
inches

Exclusive Range: Three Phase



DTIC 4000 / DTIC 6000.

•Stainless steel casing with chamfered edges & with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m60 (5 ft 3 inches) power cord and a washable filter.

•Réf : DTIC 4000 : ADV1342
DTIC 6000 : ADV 1369



DTWIC 4000 / DTWIC 6000.

•Stainless steel casing with chamfered edges & with wok vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.


•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

•Details and options: including a 1m80 (5 ft 11 inches) power cord and a washable filter.


Wok pan available upon request.

•Réf : DTWIC 4000 : ADV1346
DTWIC 6000 : ADV1438

DTIC 4000 / DTIC 6000



DTWIC 4000 / DTWIC 6000



millimeters

inches

ADVENTYS

Made In France


induction
induction
ADVENTYS
P
P1
P2
P3
P
P1
P2
P3
Induction
Made in France

Modular Heavy Duty Range



MO2I 8000 / MO2I 12000.

•Two cooking zones induction.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with display, 3 presets.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs

•Option: power cord available upon request and washable filters.

•Réf : MO2I 8000 : ADV1357
MO2I 12000 : ADV1358



MO4I 16000 / MO4I 24000.

•Four cooking zones induction.

•Stainless steel casing with vitroceramic glass.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with display, 3 presets.


•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs


•Option: power cord available upon request and washable filters.

•Réf : MO4I 16000 : ADV1354
MO4I 24000 : ADV1539

MO2I 8000 / MO2I 12000



MO4I 16000 / MO4I 24000



millimeters
inches

Modular Heavy Duty Range



MOP2I 8000.

•Modular Plancha with two independent heating zones.

•Stainless steel casing with a grill surface in a multi layer composite material.

•Capacitive touches control panel - On/Off, manual temperature setting (+/-) with 4 digits display, 3 presets.


•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs

•Option: power cord & spatula available upon request and washable filters.

•Réf : MPO2I 8000 : ADV1309

MOP2I 8000



millimeters

inches

---


2 type of bases available:







Heavy Duty Plancha - Three Phase



P2IM 8000 .

•Induction Plancha with two independent heating zones.

•Stainless steel casing with a grill surface in a multi layer composite material.

•360° Knob controls with 4 digits temperature display.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs

Option: power cord & spatula available upon request and washable filters.
Rak of 2 generators remote. (see picture below)

•Réf : P2IM 8000 : ADV1353



P4IM 16000. QUATTRO.

•Induction Plancha with four independent heating zones.

•Stainless steel casing with a grill surface in a multi layer composite material.

•360° Knob controls with 4 digits temperature display.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs


Option: power cord & spatula available upon request and washable filters.
Rak of 4 generators remote. (see picture below)

•Réf : P4IM 8000 : ADV1397

Quattro Plancha P4IM 1600: 650 steaks per hour!

From 0 to 250°C in less than 5 minutes!

The best griddle in the  **!**



Rack 4 generators



Actual product not as shown.

ADVENTYS

Made In France

Three Phase Manufacturer Kits



KTI1 4000 / KTI1 6000.
KTI2 8000 / KTI2 12000.

•Stainless steel casing & with vitroceramic glass to flush.

•Capacitive touches control panel - On/Off, manual power setting (+/-) with 2 digits display, 3 presets, timer control with 2 digits display. Knobs available.

•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.



KTWI 4000 / KTWI 6000.


•Stainless steel casing & with vitroceramic glass wok bowl.

•360° knob control.


•Power supply:
220V - AC 50/60 Hz.
400V - AC 50/60 Hz.
440V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs.

KTI1 - KTI2



KTWIM/C 4000 / 6000




millimeters
inches

Three Phase Manufacturer Kits




Our Kits are designed for Kithchen manufacturers, in order for them to integrate the best quality induction in their equipments.
Kits are single phase or three phase, 1 or 2 zones, wok or induction plancha.
Many options available, please consult with us for custom-made request.

Intergrated generator



Remote generator



Single Phase Manufacturer Kits



KMI1 3000.

•Stainless steel casing & vitroceramic glass to flush.

•Capacitive touches control panel - On/Off: intergrated or remote.
Knobs available.

•Power supply: 230V- AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek NSF & UL standards.

•Details and options: including 1m60 (5 ft 3 inches) power cord and a washable filter.



KMI2 6000 / KMI2 7000.


•Stainless steel casing & vitroceramic glass to flush.


•Capacitive touches control panel - remote.
Knobs available.


•Power supply:
220V - AC 50/60 Hz.

•Standards: complies with European Standards for safety of electrical appliances for EMC and for Rohs & with Intertek NSF & UL standards.

•Details and options: including 1m60 (5 ft 3 inches) power cord and a washable filter.







millimeters
inches



KMI1 3000 INT : Flush with controls on vitro ceramic top.

Ref: ADV1549



KMI1 3000 D INT : Flush with remote controls.

Ref: ADV1548



KMI1 3000 ENC : Drop In with controls on vitro ceramic top.

Ref: ADV1546



KMI1 3000 D ENC : Drop In with remote controls.

Ref: ADV1547





Multiple options available for the KMI2, please refer to our website: www.adventys.com



ADVENTYS

Made In France

Custom-Made Induction



Touareg

ADVENTYS

Made In France

Limited Edition:

Sapphire Buffet Line

Sapphire

Design & Look: this line of Sapphire Induction by Adventys is « éphémère buffet » perfection.
With a mirror finish and large gastro size working zone.
Available dimensions are:
4 zones = GN 2/1
2 zones = GN 1/1
Wok = standard

Limited time only !



Download Data sheet from our website:
www.adventys.com

ADVENTYS

Made in France

Testimony





William Boquelet Chef Restaurant *La Pomme* 1 Michelin Star
Chef William is one of the first users of Adventys Induction Plancha Quattro.

« Being one of the first to use Adventys plancha, I have to say I am thrill with its power, its quickness, its efficienty, and its flexibilty; along the fact that I am saving power. The precision of the plancha is sublime and there is no way I would like to go back to a tradition griddle. »



Fabrice Noir - Chef and Owner of Restaurants *Le Cheval Noir* et *L'Air du Temps* in Beaune.

« Adventys Induction gives you the freedom of movement and creativity, &simplicity. Both our restaurant are equiped with Adventys and I would not want it any other way. Cherry on top is the gain in cleaning time we have made from switching to our old gaz kitchen, to our Adventys Induction kitchen. »



Alexandre Couillon Chef *La Marine* Noirmoutier 1 Michelin star

« At *La Marine*, our cooking is contemporary marine and 100% vegetal iodine, Adventys Induction and its flexibility gives us the power to grow our creativity. Start a shrimp broth at 110°C, add in it a fish and maintain in temperature at 58°C, without stopping everything else you are doing in the Kitchen. Induction sublimate products' quality...»



Thierry Molinengo Chef and Right hand of Guy Martin Grand Véfour
2 Michelin Stars

« Powerful, instantaneous, precise, efficient and easy to manage are in a few words the quality of Adventys induction.
Not only greener, the mastery of temperature will help Chefs create new recipes, which is for us, Chefs, a comfort and a usage without limits. »



Jérôme Roy Chef *au Cloître* Mane-en-Provence


« After you try and use Adventys Induction it is very hard to go back to other cooking devices.
Third restaurant opening, third kitchen equipped by Adventys Induction.
Its advantages are translated by a beautiful design, an easy cleaning process, speed, flexibility, security and of course by saving energy, power, and time. Cooking on Induction is cooking up to date. »





ADVENTYS

Made In France





ADVENTYS

Made In France